

Philips LED Inspection
lamps
RCH5 Rechargeable
Compact Lamp

High Quality LED

110lm Boost/ 55lm Eco
New 180° flexible design
Ultra-slim and pocket-size

LPL32X1



See better, work better

Compact rechargeable LED work light

Philips ultra-slim rechargeable LED inspection lamp is a perfect tool for a quick inspection. 180° flexible high quality LED light eliminates all shadows. Its 360° rotating hook and strong magnet provides a hands-free working environment.

Superior bright light

- Defeat darkness with soft natural light
- Eco & Boost light modes: 110lm/55lm
- High quality 3 x SMD LED
- Wide beam angle: up to 120°

Versatile design

- 180° tilting lamp head for maximum flexibility
- 360° Adjustable & retractable hook
- Handy belt-clip for maximum flexibility
- Strong magnet on the flexible bottom part
- Pocket-size - height 120mm
- 13 mm ultra-slim LED lamp

Reliable battery technology

- Durable Li-Ion battery
- Full recharge in only 2,5 hours

PHILIPS

Highlights

180° tilting lamp head



The LED Inspection lamp RCH5 has a flexible lamp head which tilts up to 180° to ensure that you spot even the smallest details.

360° rotating hook



The adjustable and retractable hook enables you to hang this professional work light, leaving both of your hands free for required work.

Defeat darkness

Philips professional work lights feature powerful LEDs for an intense white light and a bright wide beam to defeat darkness. Designed to optimize clarity and vision, the 6500 K white light also improves visual comfort for fatigue-free working.

Dual light mode: 110lm/55lm



The white LEDs provide 110lm of light output in a Boost mode, as well as 55lm of Eco mode light to ensure that you are not left in the dark when trying to spot even the smallest details.

Durable Li-Ion battery



Philips LED rechargeable lamp RCH5 is powered by high-energy Lithium-Ion battery, which has no memory effect and provides up to 300 charge cycles.

Fast charging



Philips compact LED lamp is designed to be at your disposal whenever required. Powered by high-energy Li-ion battery, LED inspection lamp RCH 5 is fully recharged in up to 2,5

hours, insuring maximum usage of the LED light.

Handy belt-clip

Belt-clip on the back of Philips RCH5 ensures your LED light is always at hand.

High autonomy



Boost mode - 2,5h Normal mode - 5h

High quality LED

Philips LED Inspection lamp RCH5 is designed with SMD LED technology, insuring low power consumption and bright long-lasting light.

Strong magnet



With the new strong magnet, you have the possibility to attach the tool to metal surfaces for hands-free maintenance.

Ultra-slim

Thanks to its 13mm ultra-slim design, LED inspection lamp RCH5 perfectly fits into the pocket and provides a comfortable hand grip.

Pocket-size

Pocket-size dimensions of the cordless LED work lamp ensure ultimate ergonomomy of the tool.

Specifications

Ordering information

- Order entry: LPL32X1
- Ordering code: 39386631

Electrical characteristics

- Battery capacity: 1000 mAh
- Battery charging time: 2.5 hrs
- Battery run time: Up to 5 hours
- Battery type: Li-ion
- Charging cable type: USB
- Plug type: EU
- Power source: Rechargeable
- Voltage: 100-240 V
- Wattage: 1.5 W

Light characteristics

- Beam angle: 120 degree
- Color temperature: 6500 K
- LED lifetime: 50000 hrs
- Light output: 110 lumen
- Light output (Eco): 55 lumen

Outerpack information

- Gross weight per piece: 1370 g
- Height: 18.5 cm

- Length: 16 cm
- Width: 14 cm

Packaging Data

- EAN1: 8727900393866
- EAN3: 8727900393873

Packed product information

- Height: 5.9 cm
- Length: 2.5 cm
- Pack Quantity / MOQ: 6
- Weight with batteries: 164 g
- Width: 12 cm
- Size: Compact

Product description

- Hook: 360° retractable hook
- Ingress protection rating (IP): IP20
- Magnet
- Materials & finishing: Electrical characteristics
- Number of LED's: 3
- Operating Temperature: -10 to 50 °C
- Orientable light: 180° pivotable base
- Technology: LED
- Range: RCH



Issue date 2016-12-27

Version: 4.1.1

12 NC: 8670 001 27601
EAN: 87 27900 39386 6

© 2016 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com