

66140

XENARC ORIGINAL | Xenon headlight lamps



Areas of application

- Headlight

Product benefits

- OEM Quality
- Wide product range
- Reliable quality
- 4 year guarantee

Product features

- Original spare parts





Technical data


Electrical data


| Power input | 35 W |
|-----------------------|---------|
| Nominal voltage | 12.0 V |
| Nominal wattage | 35.00 W |
| Power input tolerance | ±3 % |
| Test voltage | 13.5 V |

Photometrical data

| Luminous flux | 3200 lm |
|-------------------------|---------|
| Luminous flux tolerance | ±15 % |

Dimensions & weight





| Length | 80.0 mm |
|----------------|---------|
| Diameter | 9 mm |
| Product weight | 59.50 g |

Lifespan

| Lifespan B3 | 2000 h |
|-------------|--------|
| Lifespan Tc | 3000 h |

Additional product data

| Base (standard designation) PK32d-2 |
|-------------------------------------|
|-------------------------------------|

Certificates & standards

| ECE category | D1S 1) |
|---------------------------|--------|
| Approval marks – approval | GOST |

 $^{^{1)}}$ To be operated only with approved electronic control gear

Country specific categorizations

| Order reference | 66140 35W PK32D |
|-----------------|-----------------|
|-----------------|-----------------|

Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321184474 | OSRA66144 | - | - | - |

Safety advice

XENARC lamp change is recommended to be carried out by a professional.

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|---------------------------------|--------------------------------------|----------------------|--------------|
| 4008321184276 | 66140 | Folding carton box 1 | 46 mm x 52 mm x 95 mm | 0.23 dm³ | 80.00 g |
| 4008321874672 | 66140 | Shipping carton box 4 | 118 mm x 98 mm x 97 mm | 1.12 dm³ | 432.00 g |
| 4008321874689 | 66140 | Shipping carton box 144 | - x - x - | | |
| 4052899333789 | 66140 | Shipping carton box 48 | - x - x - | | |
| 4008321184474 | 66140 | Folding carton box 1 | 93 mm x 46 mm x 53 mm | 0.23 dm³ | 83.00 g |
| 4008321184481 | 66140 | Shipping carton box 10 | 245 mm x 110 mm x 120 mm | 3.23 dm ³ | 916.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

www.osram.com/am-guarantee

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.